

## Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

## Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

## Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

## Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library



Your search matched **5** of **942182** documents.

A maximum of **5** results are displayed, **15** to a page, sorted by **Relevance** in **descending** order.

You may refine your search by editing the current search expression or entering a new one in the text box.

Then click **Search Again**.

(oam <paragraph> (node? <or> terminal)) <paragraph> (fault <or> failure)

[Search Again](#)

**Results:**

Journal or Magazine = **JNL** Conference = **CNF** Standard = **STD**

**1 ATM switching node system technology for effective maintainability**

*Miyaho, N.; Itoh, A.; Koyama, K.;*

Global Telecommunications Conference, 1995. GLOBECOM '95., IEEE , Volume: 3 , 14-16 Nov 1995

Page(s): 1719 -1723 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(476 KB\)\]](#) **IEEE CNF**

**2 Alarm correlation for congestion diagnosis in ATM networks**

*Ying-Dar Lin; Ren-Kuei Yang; Chi-Chun Lo;*

Network Operations and Management Symposium, 1996., IEEE , Volume: 2 , 15-19 Apr 1996

Page(s): 624 -627 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(220 KB\)\]](#) **IEEE CNF**

**3 An improved guided restoration algorithm for ATM crossconnect networks**

*Saito, H.; Slominski, M.M.; Yoshida, M.;*

Network Operations and Management Symposium, 1996., IEEE , 15-19 Apr 1996

Page(s): 225 -234 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(572 KB\)\]](#) **IEEE CNF**

**4 External/internal clock synchronization in ATM-based distributed systems**

Welcome to IEEE Xplore<sup>®</sup>

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Your search matched **7** of **942182** documents.A maximum of **7** results are displayed, **25** to a page, sorted by **Relevance** in **descending** order.

You may refine your search by editing the current search expression or entering a new one in the text box.

## Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Then click **Search Again**.

## Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

## Results:

Journal or Magazine = **JNL** Conference = **CNF** Standard = **STD**

## Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

 Print Format**1 Diagnostic tree design with model-based reasoning***Tong, D.W.; Jolly, C.H.; Zalondek, K.C.;*AUTOTESTCON '89. IEEE Automatic Testing Conference. The Systems Readiness Technology Conference. Automatic Testing in the Next Decade and the 21st Century. Conference Record. , 25-28 Sep 1989  
Page(s): 161 -167[\[Abstract\]](#) [\[PDF Full-Text \(484 KB\)\]](#) **IEEE CNF****2 Simulation of computer network reliability with congestion***Hui-Ling Liu; Shooman, M.L.;*Reliability and Maintainability Symposium, 1999. Proceedings. Annual , 18 -21 Jan 1999  
Page(s): 208 -213[\[Abstract\]](#) [\[PDF Full-Text \(544 KB\)\]](#) **IEEE CNF****3 New built-in self-test technique based on addition/subtraction of selected node voltages***Ko, K.Y.; Wong, M.W.T.;*Test Symposium, 2000. (ATS 2000). Proceedings of the Ninth Asian , 2000  
Page(s): 39 -43[\[Abstract\]](#) [\[PDF Full-Text \(364 KB\)\]](#) **IEEE CNF****4 Partial simulation-driven ATPG for detection and diagnosis of faults in analog circuits**

	Type	Hits	Search Text	DBs
1	IS&R	15	(398/3).CCLS.	USPAT
2	IS&R	35	(398/4).CCLS.	USPAT
3	IS&R	18	(398/11).CCLS.	USPAT
4	IS&R	29	(398/18).CCLS.	USPAT
5	IS&R	74	(398/83).CCLS.	USPAT
6	BRS	4	((isolat\$3) with node\$1) same (optical adj (switch\$3 or (cross adj connect\$3)))	USPAT ; EPO; JPO
7	BRS	33	((isolat\$3) with (faulty near3 node\$1))	USPAT ; EPO; JPO
8	BRS	241	((optical adj switch\$3) or (cross adj connect\$1)) with clock	USPAT ; EPO; JPO
9	BRS	108	((optical adj switch\$3) or (cross adj connect\$1)) near5 clock	USPAT ; EPO; JPO
10	BRS	2	((optical adj switch\$3) or (cross adj connect\$1)) near5 clock ) and ((faulty or fail\$4) near3 node\$1)	USPAT ; EPO; JPO
11	BRS	0	((optical adj switch\$3) or (cross adj connect\$1)) near5 clock ) and blsr	USPAT
12	BRS	0	((optical adj switch\$3) or (cross adj connect\$1)) with clock ) and blsr	USPAT
13	BRS	76	398/83	USPAT ; EPO; JPO
14	BRS	0	398/83 and (operation adj administration)	USPAT ; EPO; JPO
15	BRS	0	398/83 and (oam)	USPAT ; EPO; JPO
16	BRS	18	398/83 and (cross adj connect\$3)	USPAT ; EPO; JPO
17	BRS	34	oam same ((cross adj connect\$3) or (optical adj switch\$3))	USPAT ; EPO; JPO

	Type	Hits	Search Text	DBs
18	BRS	10	oam and (isolat\$3 with (node\$1 or terminal\$1))	USPAT ; EPO; JPO
19	BRS	0	(oam same ((cross adj connect\$3) or (optical adj switch\$3))) and (isolat\$3 with (node\$1 or terminal\$1))	USPAT ; EPO; JPO
20	BRS	3	(clock with (cross adj connect\$3)) same oam	USPAT ; EPO; JPO
21	BRS	0	(clock with (cross adj connect\$3)) same wdm	USPAT ; EPO; JPO
22	BRS	1	(keiji near1 usuba).in.	USPAT ; EPO; JPO
23	BRS	24	(yoshimi near1 nakagawa).in.	USPAT ; EPO; JPO
24	BRS	10	(satoko near1 araki).in.	USPAT ; EPO; JPO
25	BRS	159	(yusuke near1 yajima).in.	USPAT ; EPO; JPO
26	BRS	1	((yusuke near1 yajima).in.) and (cross adj connect\$3)	USPAT ; EPO; JPO
27	BRS	13	squelch\$3 same blsr	USPAT ; EPO; JPO
28	IS&R	237	(370/217).CCLS.	USPAT
29	IS&R	111	(370/223).CCLS.	USPAT
30	IS&R	111	(370/224).CCLS.	USPAT
31	IS&R	306	(370/242).CCLS.	USPAT
32	IS&R	112	(370/245).CCLS.	USPAT
33	IS&R	274	(370/249).CCLS.	USPAT
34	BRS	35	((370/217).CCLS.) and (cross adj connect\$1)	USPAT
35	BRS	22	((370/223).CCLS.) and (cross adj connect\$1)	USPAT
36	BRS	14	((370/224).CCLS.) and (cross adj connect\$1)	USPAT

	Type	Hits	Search Text	DBs
37	BRS	34	((370/242).CCLS.) and (cross adj connect\$1)	USPAT
38	BRS	4	((370/245).CCLS.) and (cross adj connect\$1)	USPAT
39	BRS	35	((370/249).CCLS.) and (cross adj connect\$1)	USPAT